

WE PROTECT HANDS

















RESPONSIBLE MANUFACTURING

ESA



HISTORY | INTRO.

SEGEN International, a family owned business, is situated in Sialkot, a city of Pakistan known all over the world for its dexterous artisans who have excelled in making Leather-Products, Sports Goods and Surgical Instruments.

Founded in 1990 in a small building with a few employees, the production facility of SEGEN International is now spread over 43560 Square feet with 900 highly skilled employees administered by a well experienced team of 50 management professionals under the entrepreneurship of a family that believes in excellence through commitment.

SEGEN International specializes in manufacturing of Leather Gloves and Safety Ware. It produces a variety of 200 gloves and has the capacity of manufacturing more than 3 million pairs per annum, thanks to its in-house tannery having 15 machines combined with 500 stitching machines and 35 hydraulic clickers for cutting.

SEGEN International is a ISO-9001 certified company by BUREAU VERITAS (BVQI) with a flourishing export to AUSTRALIA & NEW ZEALAND, USA & CANADA, EUROPEAN UNION, MIDDLE EAST AND MEXICO.

QA (Quality Assurance)

ENHANCED QUALITY CONTROL & QUALITY ASSURANCE AT EACH STAGE.

MATERIAL TESTING EITHER LEATHER, FABRIC OR ANY OTHER THROUGH
CERTIFIED CALIBRATED EQUIPMENTS AT EACH STAGE TO ENSURE

THE CONSISTENT QUALITY TO MEET THE MODERN INTERNATIONAL STANDARDS (CE, ANSI, ISO, AS/NZS, SASO BY SABER).

R&D DEPARTMENT WORKING HARD TO DEVELOP NEW INNOVATIVE PRODUCTS THROUGH INNOVATIVE MATERIALS & IDEAS

We offer our customers with CUSTOMIZED BRANDING, PRINTING, LABELING, HEADER CARDS & PACKAGING.























EN 407:2004 Standard EN ISO-11611 Standard for Protective Gloves Against Thermal Risk EN ISO-11611 Standard for Protective Clothings & Welding.



www.segenint.com



NEW FEATURED GLOVES SERIES



COMPANY MISSION



The Aim of company to support our customers by providing superior products and services of exceptional value which help them gain competitive advantage in their markets. We offer our customers with single source solution with Largest selection of in house manufactured products by SEGEN. We are serving Safety Gloves to world famous & Leading brands.

SEGEN International is committed to provide premium quality of Gloves & Work wear.

We produce gloves for number of caterogies & Applications including Mechanical Gloves, Welding Gloves, Working Gloves and PPE's.

We expand our vision and mission by constantly improving our industry knowledge & through application of new technologies & best business practices.

We are proud of product Quality, Heritage & fulfilment. All of these are key ingredients that have helped us to become one of the leading suppliers of Gloves & workwears.



GLOBAL EXHIBITIONS















WELDING GLOVES





CUTTING JOBS FLUX WELDING HIGH TEMPRATURE WORKS

MIC WELDING WORKS

SI 1110

Superiour Welding gloves. Premium Cowhide Split leather Wing thumb Reinforced 100 % Cotton Lined for extra heat resistant and comfort Heat Resistant Kevlar Thread sewed Perfect sizing according to EN-420 Standard Color: Natural White/ Yellow / Beige/Blue/Green/Red/ Black.

SI 1100

Standard Mig Welding gloves. Premium Cowhide Split leather Wing thumb Reinforced 100 % Cotton Soft fleece Lined Heat Resistant Kevlar Thread sewed Perfect sizing according to EN-420 Standard

PERFORMANCE

EN ISO 21420:2020 EN-388:2019(EN-388:2016+A1:2018) 4222B EN-12477:2001/A1:2005 EN-407 41324X CAT III

CE Certified EN Standards Results

TYPE B SIZE

S,M,L,XL & XXL.



SI 1110 GREN & YELLOW





SI 1100 GRAIN MADE OF 1.2 to 1.5 MM THICK AND SOFT LEATHS

PERFORMANCE **CE Certified EN Standards Results**

SI 1100 GRAIN

Welted seams

Hi TECH Mig Welding gloves

Keystone thumb Reinforced

Premium Cowhide Split leather palm

Cowhide grain leather finger and thumb

100 % Cotton Lined for extra heat resistant

Perfect sizing according to EN-420 Standard

Keylar Thread sewed

Color: Natural White/ Yellow / Beige/Blue/Green/Red/

EN ISO 21420:2020 EN-388:2019(EN-388:2016+A1:2018) 4222B EN-12477:2001/A1:2005 EN-407 41324X TYPE B CAT III







SI 1211 A



SI 1211 B

PALM REVERSE GRAIN SOFT & THICK COW LEATHER

Hi TECH Mig Welding gloves. Premium Cowhide Split leather palm Cowhide grain leather finger and thumb Keystone thumb Reinforced Welted seams 100 % Cotton Lined for extra heat resistant and comfort Heat Resistant Kevlar Thread sewed Perfect sizing according to EN-420 Standard Color: Natural White/ Yellow / Beige/Blue/Green/Red/ Black.

Certification:

CE Certified EN Standards Results EN ISO 21420:2020, EN-388:2019 (EN-388:2016+A1:2018) 3132X EN-12477:2001/A1:2005, EN-407 413X4X TYPE B CAT II



Mig Welding gloves. Premium Cowhide grain leather palm Cowhide split leather back Straight thumb Reinforced 100 % Cotton Lined for extra heat resistant and comfort Heat Resistant Kevlar Thread sewed Perfect sizing according to EN-420 Standard Color: Natural White/ Yellow / Beige/Blue/Green/Red/ Black.

Certification:

CE Certified EN Standards Results EN ISO 21420:2020, EN-388:2019 (EN-388:2016+A1:2018) 3132X EN-12477:2001/A1:2005, EN-407 413X4X TYPE B CAT II

S,M,L,XL & XXL.



Standard Mig Welding gloves. Premium Cowhide Split leather Wing thumb Reinforced 100 % Cotton Lined for extra heat resistant and comfort Heat Resistant Kevlar Thread sewed Perfect sizing according to EN-420 Standard Color: Natural White/ Yellow / Beige/Blue/Green/Red/ Black.

CE Certified EN Standards Results EN ISO 21420:2020 EN-388:2019(EN-388:2016+A1:2018) 4222B EN-12477:2001/A1:2005 EN-407 41324X TYPE B CAT III

S,M,L,XL & XXL.



SI 1100 ALUMINIZED

High Heat resistant Welding gloves. Premium Cowhide Split leather Palm 100% Kevlar laminated with Aluminized back for high heat temprature jobs 100 % Cotton Lined for extra heat resistant and comfort Heat Resistant Kevlar Thread sewed Perfect sizing according to EN-420 Standard Color: Natural White/ Yellow / Beige/Blue/Green/Red/ Black. **CE Certified EN Standards Results** EN ISO 21420:2020

EN-388:2019(EN-388:2016+A1:2018) 4222B EN-12477:2001/A1:2005 EN-407 41324X TYPE B CAT III

S,M,L,XL & XXL.



HI TOUCH GLOVES





Hi TECH Mig Welding gloves.

Premium Cowhide grain leather palm Seamless Index finger for high dexterity

Cowhide split leather back and gauntlet cuff.

Straight thumb Reinforced

Padded palm for comfort and grip

Padded rest patch for relax the hand during weld

100 % Cotton Lined for extra heat resistant and comfort

Heat Resistant Kevlar Thread sewed

Perfect sizing according to EN-420 Standard

Color: Natural White/ Yellow / Beige/Blue/Green/Red/ Black.

EN-388:2019(EN-388:2016+A1:2018)

Certification:

CE Certified EN Standards Results

EN ISO 21420:2020

EN-12477:2001/A1:2005 EN-407 413X4X

CIN-124//.200

CAT II

TYPE B





413X4X

SI 1221 JET

Hi Dexterity Mig Welding gloves.

Premium Cowhide grain leather palm
Cowhide grain leather vein patch, knuckle protector and finger tips
Cowhide split leather back and gauntlet cuff,
Keystone thumb Reinforced
100 % Cotton Lined for extra heat resistant
Heat Resistant Kevlar Thread sewed
Perfect sizing according to EN-420 Standard
Color: Natural White/ Yellow / Beige/Blue/

Certification:

Green/Red/ Black.

CE Certified EN Standards Results EN ISO 21420:2020, EN-388:2019 (EN-388:2016+A1:2018) 3132X EN-12477:2001/A1:2005, EN-407 413X4X TYPE B CAT II

SI 1221

Hi TECH Premium Mig Welding gloves.
Premium Cowhide grain leather palm
Seamless Index finger for high dexterity
Reinforced padded palm, back of the hand
Cowhide split leather gauntlet cuff.
Keystone thumb reinforced
Rest patch for relax the hand during weld
Foam Lined for extra heat resistant and comfort
Heat Resistant Kevlar Thread sewed
Perfect sizing according to EN-420 Standard
Color: Natural White/ Yellow / Beige/Blue/Green/Red/

Certification:

CE Certified EN Standards Results EN ISO 21420:2020, EN-388:2019 (EN-388:2016+A1:2018) 3132X EN-12477:2001/A1:2005, EN-407 413X4X TYPE B CAT II

SI 1221 F

3132X

Hi TECH Premium Mig Welding gloves.
Premium Cowhide grain leather palm
Seamless Index finger for high dexterity
Reinforced padded palm, back of the hand
Cowhide split leather gauntlet cuff.
Keystone thumb reinforced
Rest patch for relax the hand during weld
Foam Lined for extra heat resistant and comfort
Heat Resistant Kevlar Thread sewed
Perfect sizing according to EN-420 Standard
Color: Natural White/ Yellow / Beige/Blue/Green/

Certification: CE Certified EN Standards Results EN ISO 21420:2020, EN-388:2019 (EN-388:2016+A1:2018) 3132X EN-12477:2001/A1:2005, EN-407 413X4X TYPE B CAT II

MIG WELDING WORKS
CUTTING GRINDING JOBS
FLUX WELDING
HIGH TEMPRATURE WORKS

SI 1221 JET



SI 1221 GOLD



SI 1175



Page:7

TIG WELDING GLOVES









SI 1190



SI 1193



SI 1190

Tig Welding gloves.
Premium Cowhide grain leather
Wing thumb
Cowhide split leather gauntlet cuff
Heat Resistant Kevlar Thread sewed
Perfect sizing according to EN-420 Standard
Color: Natural White/ Yellow / Beige/Blue/
Green/Red/ Black.

PERFORMANCE

EN-420:2003+A12009 EN-388: 2016 (4222) EN-407: 2004 (41324X) EN-12477: 2001+A12005 Type B.

SIZE

S,M,L,XL & XXL.

SI 1193

Standard Tig Welding gloves.
Premium Cowhide Split leather
Cowhide split leather gauntlet cuff
Straight thumb Reinforced
Heat Resistant Kevlar Thread sewed
Perfect sizing according to EN-420 Standard
Color: Natural White/ Yellow / Beige/Blue/
Green/Red/ Black.

PERFORMANCE

EN-420:2003+A12009 EN-388: 2016 (4222) EN-407: 2004 (41324X) EN-12477: 2001+A12005 Type B.

SIZE

S,M,L,XL & XXL.

SI 1160A

TIG WELDING WORKS

HIGH TEMPRATURE WORKS

FLUX WELDING

Tig Welding gloves.
Premium Cowhide grain leather
Wing thum!
Cowhide split leather gauntlet cuff
Heat Resistant Kevlar Thread sewed
Perfect sizing according to EN-420 Standard
Color: Natural White/Yellow / Beige/Blue/
Green/Red/ Black.

PERFORMANCE

EN-420:2003+A12009 EN-388: 2016 (4222) EN-407: 2004 (41324X) EN-12477: 2001+A12005 Type B.

S,M,L,XL & XXL.



SI 1160A

SI 1160 B

SI 1160 B

Hi Dexterity Tig Welding gloves.
Premium Goat Skin leather palm
Cowhide spilt leather gauntilet cuff.
Keystone thumb Reinforced
Unlined for high dexterity and soft touch
Heat Resistant Kevlar Thread sewed
Perfect sizing according to EN-420 Standard
Color: Natural White/ Yellow / Beige/Blue/Green
/Red/ Black.

PERFORMANCE

EN-420:2003+A12009 EN-388: 2016 (4222) EN-407: 2004 (41324X) EN-12477: 2001+A12005 Type B. SIZE S,M,L,XL & XXL.



SI 1160AB

SI 1160AB

Standard Tig Welding gloves.
High quality goat skin leather
Cowhide spil leather gauntiet cuff
Straight thumb Reinforced
Heat Resistant Kevlar Thread sewed
Perfect sizing according to EN-420 Standard
Color: Natural White/ Yellow / Beige/Blue/Green
/Red/ Black.

EN-420:2003+A12009 EN-388: 2016 (4222) EN-407: 2004 (41324X) EN-12477: 2001+A12005 Type B.

S,M,L,XL & XXL.





WORKING GLOVES

Industrial

Transporation Farm & Agricultur Mining & Construction





SI 1200 Y

Oil & Gas Leather Palm gloves. **DIY & Home improvement** High quality Cowhide grain leather Rubberized safety cuff and cotton cloth back Wing Thumb Elastic back for snug fit Finger and palm lined Perfect sizing according to EN-420 Standard Color: White/ Yellow / Red/Blue/Orange/ Green/Grey

PERFORMANCE

CE Certified EN Standards Results EN ISO 21420:2020 EN-388:2019(EN-388:2016+A1:2018) 3132A CAT II





SI 1060 YR

Working gloves. High quality Cow Split leather Rubberized safety cuff and cotton cloth back Wing Thumb Elastic back for snug fit Perfect sizing according to EN-420 Standard Color: White/Yellow / Red/Blue/Orange/ Green/Grey

PERFORMANCE

CE Certified EN Standards Results EN ISO 21420:2020 EN-388:2019(EN-388:2016+A1:2018) 4234B CAT II





SI 1200 HI VIZ

Leather Palm gloves. High quality Cowhide grain leather Rubberized safety cuff and cotton cloth back Hi Viz protector knuckle Wing Thumb Elastic back for snug fit Finger and palm lined Perfect sizing according to EN-420 Standard Color: White/ Yellow / Red/Blue/Orange/ Green/Grey

PERFORMANCE

CE Certified EN Standards Results EN ISO 21420:2020 EN-388:2019(EN-388:2016+A1:2018) 3132A CAT II

SI 1053



SI 1053

Working gloves. High quality Cow Split leather Rubberized safety cuff and cotton cloth back Wing Thumb Elastic back for snug fit Perfect sizing according to EN-420 Standard Color: White/Yellow / Red/Blue/Orange/ Green/Grey

PERFORMANCE

CE Certified EN Standards Results EN ISO 21420:2020 EN-388:2019(EN-388:2016+A1:2018) 4222B CAT II



SI 1053 Y



SI 1053 O



SI 1060 BLACK GOLD



SI 1053 BLUE



SI 1053 JET





SI 1008



SI 1016 S



SI 1016 WR

SI 1008

Driver gloves.

High quality Goat skin leather Keystone Thumb Elastic back for snug fit Perfect sizing according to EN-420 Standard Color: Natural White/ Yellow / Beige.

PERFORMANCE

CE Certified EN Standards Results EN ISO 21420:2020

EN-388:2019(EN-388:2016+A1:2018) 3122X

CAT II

SI 1016 S

SIZE S,M,L,XL & XXL.

Driver Gloves.

High quality Cowhide grain palm & Cow Split back Straight thumb

Elastic back for snug fit

Perfect sizing according to EN-420 Standard Color: Natural White/ Yellow / Beige.

PERFORMANCE

CE Certified EN Standards Results

EN ISO 21420:2020

EN-388:2019(EN-388:2016+A1:2018) 3132A

CAT II

SI 1016 WR

SIZE

S,M,L,XL & XXL.

Water repallant Driver Gloves.
High quality Water Repallant
Cowhide grain palm & Cow Split back
Stright thumb.

Elastic back for snug fit

Perfect sizing according to EN-420 Standard Color: Natural White/ Yellow / Beige.

SIZE

PERFORMANCE

S,M,L,XL & XXL.

CE Certified EN Standards Results EN ISO 21420:2020

EN-388:2019(EN-388:2016+A1:2018) 3132A

CAT II

SI 1016 S

Driver Gloves. High quality Cowhide grain palm & Cow Split back Keystone thumb

Elastic back for snug fit

Perfect sizing according to EN-420 Standard Color: Natural White/ Yellow / Beige.

PERFORMANCE

EN ISO 21420:2020

EN-388:2019(EN-388:2016+A1:2018) 3132A

CAT II

SI 1017 Y

Winter Driver Gloves. High quality cowhide grain leather, Fully lined with soft cotton fleece. Wing thumb Elastic back for snug fit

Perfect sizing according to EN-420 Standard Color: Natural White/ Yellow / Beige.

PERFORMANCE

S,M,L,XL & XXL.

S,M,L,XL & XXL.

EN ISO 21420:2020

EN-388:2019(EN-388:2016+A1:2018) 3132A

CAT II

SI 1016

Driver gloves.
High quality Cowhide grain leather
Keystone Thumb
Elastic back for snug fit
Perfect sizing according to EN-420 Standard
Color: Natural White/ Yellow / Beige.

PERFORMANCE

EN ISO 21420:2020

S,M,L,XL & XXL.

EN-388:2019(EN-388:2016+A1:2018) 3132A

CAT II

Driver gloves.

High quality Goat skin leather Keystone Thumb

Elastic back for snug fit

Perfect sizing according to EN-420 Standard Color: Natural White/ Yellow / Beige

PERFORMANCE

CE Certified EN Standards Results

EN ISO 21420:2020

EN-388:2019(EN-388:2016+A1:2018) 3122X

CAT II

S,M,L,XL & XXL.

SIZE





SI 1017 Y



SI 1016









ASSEMBLING GLOVES



SI 1035 B





SI 1035 TH

Winter Assembling gloves.
High quality goat skin leather
Spandex back and knuckle padding
3M Thinsulate 100g lined
Keystone Thumb
Elastic back for snug fit
Perfect sizing according to EN-420 Standard
Color: Natural White/ Yellow / Beige.

PERFORMANCE

CE Certified EN Standards Results
EN ISO 21420:2020
EN-388:2019(EN-388:2016+A1:2018) 3122X
CAT II

SIZE

S,M,L,XL & XXL.

SI 1035 B

Mechanics/Assembling Gloves.

High quality goat skin leather

Spandex back and keystone thumb

Hook & Loop Velcro fastening

Perfect sizing according to EN-420 Standard

Color: Natural White/ Yellow / Beige.

PERFORMANCE

CE Certified EN Standards Results EN ISO 21420:2020 EN-388:2019(EN-388:2016+A1:2018) 3122X CAT II

SIZE

S,M,L,XL & XXL.

GLOVES

Assembling
Transporation
Mining & Construction
DIY & Home improvement

Industrial Farm & Agricultur Oil & Gas

SI 1040

Hi Tech Assembling gloves.
High quality goat skin leather
Spandex back and knuckle padding
Unlined
Keystone Thumb
Elastic back for snug fit
Perfect sizing according to EN-420 Standard
Color: Natural White/ Yellow / Beige.

PERFORMANCE

CE Certified EN Standards Results
EN ISO 21420:2020
EN-388:2019(EN-388:2016+A1:2018) 3122X
CAT II

S,M,L,XL & XXL.

SI 1008 PO

Assembling gloves.
High quality Goat skin leather
Wing Thumb
Elastic back for snug fit
Elastic wrist
Perfect sizing according to EN-420 Standard
Color: Natural White/ Yellow / Beige.

PERFORMANCE

CE Certified EN Standards Results EN ISO 21420:2020 EN-388:2019(EN-388:2016+A1:2018) 3122X CAT II

SI 1035 R

Assembling Gloves.
High quality goat skin leather
100% cotton interlock back.
Hook & Loop Velcro fastening
Perfect sizing according to EN-420 Standard
Color: Natural White/ Yellow / Beige.

PERFORMANCE

CE Certified EN Standards Results
EN ISO 21420:2020
EN-388:2019(EN-388:2016+A1:2018) 3122X
CAT II



SI 1016 S

Driver/Assembling Gloves.
High quality Cowhide grain palm
Wing thumb
Elastic wrist
Fully lined with cotton fleece
Perfect sizing according to EN-420 Standard
Color: Natural White/ Yellow / Beige.

PERFORMANCE

EN-420:2003+A12009 EN-388: 2016 (3122)

SIZE

S,M,L,XL & XXL.



SI 1039

Winter Assembling gloves.
High quality goat skin leather
Spandex back and Foam knuckle padding
Fully lined with cotton and fleece
Keystone Thumb
Hook & loop Velcro fastening
Perfect sizing according to EN-420 Standard
Color: Natural White/Yellow / Beige.

PERFORMANCE

CE Certified EN Standards Results
EN ISO 21420:2020
EN-388:2019(EN-388:2016+A1:2018) 3122X
CAT II

SIZE

S,M,L,XL & XXL.



SI 1008 PO

SI 1035



IMPACT RESISTANT DRIVER GLOVES

MX 1017



OIL GAS MINING CONSTRUCTION REPAIR MAINTAINANCE FORESTERY

SI 1016WR



SI 1016WR

Oil & Water block Anti Vibration Impact Gloves Oil & Water Repallant treated Cowhide grain leather ANSI Standard Cut level 6 Kevlar® lined Anti Vibration Reinforced double layer gel padding palm **Impact Resistant TPR (Thermo Plastic Rubber)** back, fingers and thumb Elastic shirred back for snug fit. Contrast piping on wrist Color: Grey, Blue, Black, Red, Yellow, White, etc..

PERFORMANCE

CE Certified EN Standards Results EN ISO 21420:2020

EN-388:2019(EN-388:2016+A1:2018) 3532A

CATII

Oil & Gas Mining Construction Repair & **Maintainance Forestery**



MX 5020





MX 1017

Impact Resistant Driver Gloves Quality Cowhide grain leather **Impact Resistant TPR** (Thermo Plastic Rubber) back, fingers and thumb Cut level 5 Kevlar® lined Keystone thumb Elastic back for snug fit Color: Grey, Blue, Black, Red, Yellow, White, etc..

PERFORMANCE

CE Certified EN Standards Results

EN ISO 21420:2020

EN-388:2019(EN-388:2016+A1:2018) 3532A

CAT II

SI 1016TH

Impact Resistant Driver Gloves Quality Goat skin leather palm Impact Resistant TPR (Thermo Plastic Rubber) back, fingers and thumb 3M Thinsulate 100g lined Kevstone thumb Elastic back for snug fit Color: Grey, Blue, Black, Red, Yellow, White, etc..

PERFORMANCE

SIZE CE Certified EN Standards Results S,M,L,XL & XXL.

EN ISO 21420:2020

EN-388:2019(EN-388:2016+A1:2018) 3122X

CAT II

Impact Resistant Driver Gloves Quality Cowhide grain leather **Impact Resistant TPR** (Thermo Plastic Rubber) back, fingers and thumb Cut level 5 Kevlar® lined Kevstone thumb Elastic back for snug fit Color: Grey, Blue, Black, Red, Yellow, White, etc..

PERFORMANCE

CE Certified EN Standards Results EN ISO 21420:2020 EN-388:2019(EN-388:2016+A1:2018) 3532A CAT II











MECHANICS GLOVES





mx 5000

Mechanics Gloves High quality Synthetic leather palm Stretchable spandex back for breathability Reinforced thumb Knuckle bar foam padded Spandex fabric forchettes and piping. Elastic back for snug fit Machine washable Color: Grey, Blue, Black, Red, Yellow, White, etc..

PERFORMANCE

EN-420:2003+A12009

S,M,L,XL & XXL. EN-388: 2016 (2132) Appoximate

MX 5030



MX 5030

Hi-Dexterity Mechanics Gloves High quality Synthetic leather palm 3 Cut finger for high dexterity Stretchable spandex back for breathability Reinforced double layer gripy palm, thumb & finger Knuckle bar foam padded Contrast Spandex fabric forchettes Machine washable Elastic wrist with Hook & Loop Velcro fastening Color: Grey, Blue, Black, Red, Yellow, White, etc..

PERFORMANCE

EN-420:2003+A12009 S,M,L,XL & XXL. EN-388: 2016 (2132) Appoximate



mx 2000

Touch Screen Mechanics Gloves High quality Synthetic leather palm Stretchable spandex back for breathability Touch screen Finger tips and thumb Reinforced padded palm, thumb & Finger tips Knuckle bar foam padded Spandex fabric forchettes and piping. Elastic back for snug fit Machine washable

PERFORMANCE

SIZE

EN-420:2003+A12009

S,M,L,XL & XXL. EN-388: 2016 (2132) Appoximate

MX 2021



mx 2021

Anti Vibration Mechanics Gloves High quality Synthetic leather palm Stretchable spandex back for breathability Reinforced double layer Gel padding for anti Vibration Reinforced finger tips & Thumb Neoprene knuckle bar with reflectic welt Contrast Spandex fabric forchettes Machine washable Elastic wrist with Hook & Loop Velcro fastening Color: Grey, Blue, Black, Red, Yellow, White, etc..

PERFORMANCE

SIZE

SIZE

EN-420:2003+A12009

S,M,L,XL & XXL. EN-388: 2016 (2132) Appoximate

mx 2019



mx 2019

Advance Mechanics Gloves High quality Synthetic leather palm Stretchable spandex back for breathability Reinforced padded palm, thumb & Finger tips Knuckle bar foam padded Contrast Spandex fabric forchettes Machine washable Elastic wrist with Hook & Loop Velcro fastening Color: Grey, Blue, Black, Red, Yellow, White, etc..

PERFORMANCE

EN-420:2003+A12009

EN-388: 2016 (2132) Appoximate

S,M,L,XL & XXL.

SI 1041

Mechanics/Assembling Gloves. High quality goat skin leather Spandex back and keystone thumb Perfect sizing according to EN-420 Standard Color: Natural White/ Yellow / Beige.

PERFORMANCE

EN-420:2003+A12009

EN-388: 2016 (2132) Appoximate

S,M,L,XL & XXL.

GARDENING GLOVES





















SI 1017



SI - 1160 GARD



SI 1016 GARD

Winter Driver Gloves.

High quality Cowsplit Front palm/Cowhide grain back.

Fully lined with soft cotton fleece.

Keystone thumb

Elastic back for snug fit

Perfect sizing according to EN-420 Standard

Color: Natural White/ Yellow / Beige.

PERFORMANCE

CE Certified EN Standards Results

S,M,L,XL & XXL.

SIZE

EN ISO 21420:2020

EN-388:2019(EN-388:2016+A1:2018) 3132A

CAT II

SI - 1160 GARD

Premium Gardening Gloves long gauntlet cuff made with soft Goat skin leather Reinforced palm, finger tips and thumb. Elastic shirred back for snug fit Cow split leather red cuff

Kevlar thread sewed

SIZE

PERFORMANCE S,M,L,XL & XXL.

CE Certified EN Standards Results

EN ISO 21420:2020 CAT II EN-388:2019(EN-388:2016+A1:2018) 3122X











SI-1221B-FR

High Dexterity Tig Welding gloves

Premium Version Tig welding gloves made with
Soft & strong Goat skin leather Natural Color
Rest Patch Reinforced padded pinky side
Black Goat leather Thumb and fingers insides
Keystone 2 tone thumb for comfortable movement during job
Seamless index finger for highest dexterity
DuPont™ Nomex® Knitted heavy duty fabric built back of the hand Index
finger & 2nd finger Goat skin natural leather pinky back fingers
Black Goat leather knuckle protector
Elastic shirred back for snug fit

Soft & Heavy duty Cow split leather Black gauntlet cuff self hemmed DuPont™ Kevlar® Cut 3 Knitted lining, 360 Degree along with Denim cuff lined. DuPont™ Kevlar® Thread double stitched sewed



CE Certified EN Standards Results

EN ISO 21420:2020 EN-12477:2001/A1:2005 TYPE B EN-388:2019(EN-388:2016+A1:2018) 3132X EN-407 413X4X

CAT II







Rest Patch Kevlar Sewed













Heavy duty cowhide welder gloves extended 22 inches

This welding gloves is ergonamically designed & manufactured to protect from heat, sparks, molten metalls & electric shocks. Its featured to have longest sleeve builtin so don't need to use extra sleeve with gloves.

Made with selected strong, soft and durable cow hide grain leather. Palm design to the seamless little finger to avoid from burning during any job of welder or Metallurgy

Ergonamic designed sleeve made of cow hide split suede leather, that is selected from strongest part of the animal body i.e shoulder. Sleeves extended to the 22 inches length with part to help in bending, working and resting. Rest patch reinforced

100% Kevlar thread 3 to 4 ply used for stitching and most stress areas are double stitched.

Reinfcored with cowhide split suede leather on palm, rest patch, Finger tips and back of the hand are also reinforced

Certification:

CE Certified EN Standards Results

EN ISO 21420:2020 EN-388:2019(EN-388:2016+A1:2018) 3132X

CAT II

EN-12477:2001/A1:2005 EN-407 413X4X

TYPE B









WELDING APRON













Superior Cow Split Leather:

Welding Apron made from high quality durable cowhide leather, which is very durable and exhibits good thermal and burn resistance properties. It has thick full leather so you are not worried about ripping it and it is built to last.

Self leather straps and Buckles:

100% Leather self leather straps thick, Soft & Durable.

FR RatedPlastic Buckles for easy to wear and fited.

Kevlar Double-stitched Seam & Pocket:

100% Kevlar thread double lock stitching for high qurability standards.

Optional pockets on front for tools.

Available colors:

Orange, White, Blue, Yellow, Black, Green etc...

PERFORMANCE

CAT II

EN ISO 11611:2015 EN ISO 13688:2013

SIZE

24x36 inches. 24x48 inches. 24x40 Inches.

Any custom Taylored sizes.







LEATHER PPE'S





Superior Cow Split Leather:

Welding Spat made from high quality durable cowhide leather

, which is very durable and exhibits good thermal and burn resistance properties. It has thick full leather so you are not worried about ripping it and it is built to last. Velcro Closure & Elastic:

Velcro closure edges with elastic on steps.

Keylar Double-stitched Seam.

100% Kevlar thread double lock stitching for high gurability standards.

Available colors:

Orange, White, Blue, Yellow, Black, Green etc... PERFORMANCE CAT II EN ISO 11611:2015 16 Inches

16 Inches. EN ISO 13688:2013





SSL-1650 WHITE

SSL 1650 ORG

Superior Cow Split Leather:

Welding Sleeve made from high quality durable cowhide leather, which is very durable and exhibits good thermal and burn resistance properties.

It has thick full leather so you are not worried about ripping it and it is built to last.

Both Elastic ends:

Elastic on both ends for better fit over cloths.

Kevlar Double-stitched Seam.

100% Kevlar thread double lock stitching for high qurability standards. Available colors:

Orange, White, Blue, Yellow, Black, Green etc...

PERFORMANCE

CAT II EN ISO 11611:2015

EN ISO 13688:201

SIZE

14 Inches.

16 Inches.

18 Inches. 22 Inches.

SHS-1910



SHS-1910

Hand shield made with cow split leather Backing with Aluminized Kevlar woven Adjustable Elastic strap with strong leather All stress areas are double Kevlar sewed.

PERFORMANCE

CAT II EN ISO 11611:2015 EN ISO 13688:201

SIZE

One size fits all

SMC 5100 MHI





WELDING JACKET









SJ 1500 ORG

Superior Cow Split Leather:

Welding jacket made from high quality durable cowhide leather, which is very durable and exhibits good thermal and burn resistance properties. It has thick full leather so you are not worried about ripping it and it is built to last.

Snap Closures & Velcro Closure:

Metal buttons fully coated with FR Rated plastic.

FR rated Velcro closure on collar and front for easy to use even than zipper.

Kevlar Double-stitched Seam & Inside Pocket:

100% Kevlar thread double lock stitching for high qurability standards. Inside pocket for tools.

FR Collar & Satin lined shoulder.

100% Cotton FR Collar lined and shoulder are lined with satin fabric.

Available colors:

Orange, White, Blue, Yellow, Black, Green etc...

PERFORMANCE

CAT II

EN ISO 11611:2015 EN ISO 13688:2013

SIZE

S,M,L,XL to 5 XL

JACKET

Welding & Cutting Metal handing Minging & Construction. Automobil & Shipbuilding Spray Blast







Head Office:

Roras Road Muzaffarpur Hussaini Street Sialkot - 51310 Pakistan.

Ph: 92-52-3667775 Fax: 92-52-3667776

E-mail: info@segenint.com Web: www.segenint.com

Leather Tannery:

Plot # 01- A - 05 Km Sialkot International Airpoart, Khanibranwala Tannery zone Sialkot - 51310 Pakistan

Ph: +92-321-7129515

E-mail: tannery@segenint.com

www.segenint.com